ELSEVIER

Journal of Affective Disorders 76 (2003) 295–297

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Author index

Aarre, T.F., see Berle, J.. (76) 151
Albuquerque, J., Deshauer, D. and Grof, P.
Descartes' passions of the soul—seeds of psychiatry? (76) 285
Aldama, A., see González-Pinto, A. (76) 95
Allen, N.B., see Murray, G. (76) 15
Altamura, A.C., Salvadori, D., Madaro, D., Santini, A. and Mundo, E.
Efficacy and tolerability of quetiapine in the treatment of bipolar disorder: preliminary evidence from a 12-month open-label study (76) 267

Balázs, J., Lecrubier, Y., Csiszér, N., Koszták, J. and Bitter, I.
Prevalence and comorbidity of affective disorders in persons making suicide attempts in Hungary: importance of the first depressive episodes and of bipolar II diagnoses (76) 113
Ballesteros, J., see González-Pinto, A. (76) 95
Barber, R., see Thomas, A.J. (76) 49
Barkow, K., Maier, W., Üstün, T.B., Gänsicke, M., Wittchen, H.-U. and Heun, R.
Risk factors for depression at 12-month follow-up in adult primary health care patients with major depression: an international prospective study (76) 157
Beekman, A.T.F., see Schoevers, R.A. (76) 5
Beekman, A.T.F., see Van Zelst, W.H. (76) 229
Bennett, P., see Honey, K.L. (76) 201
Berardi, D., see Rucci, P. (76) 171
Berle, J.., Aarre, T.F., Mykletun, A., Dahl, A.A. and Holsten, F.
Screening for postnatal depression. Validation of the Norwegian version of the Edinburgh Postnatal Depression Scale, and assessment of risk factors for postnatal depression (76) 151
Bisoffi, G., see Rucci, P. (76) 171
Bitter, I., see Balázs, J. (76) 113
Bolwig, T.G., see Nilsson, F.M. (76) 39
Bramsen, I., see Van Zelst, W.H. (76) 229
Bruijn, J.A., see Volkers, A.C. (76) 23

Christodoulou, G., see Liappas, J. (76) 279
Corsino, M.A., see Rucci, P. (76) 171
Csiszér, N., see Balázs, J. (76) 113

Dahl, A.A., see Berle, J.. (76) 151
D'alche-Biree, F., see Januel, D. (76) 191
David, K., see Pyne, J.M. (76) 237

de Beurs, E., see Van Zelst, W.H. (76) 229
Deeg, D.J.H., see Schoevers, R.A. (76) 5
Deeg, D.J.H., see Van Zelst, W.H. (76) 229
Deshauer, D., see Albuquerque, J. (76) 285
Dib, M., see Januel, D. (76) 191

Ellilä, H., see Haavisto, A. (76) 211
Ewald, H., see Mortensen, P.B. (76) 79

Fink, M.
Separating psychotic depression from nonpsychotic depression is essential to effective treatment (76) 1
Frampton, C., see Mulder, R.T. (76) 127
Frydenberg, M., see Mortensen, P.B. (76) 79

Gänsicke, M., see Barkow, K. (76) 157
Gardner, A., Johansson, A., Wibom, R., Nennesmo, I., Von Döbeln, U., Hagenfeldt, L. and Hällström, T.
Alterations of mitochondrial function and correlations with personality traits in selected major depressive disorder patients (76) 55
Gherardi, S., see Rucci, P. (76) 171
Giedke, H., Klingberg, S., Schwärzler, F. and Schweinsberg, M.
Direct comparison of total sleep deprivation and late partial sleep deprivation in the treatment of major depression (76) 85
González-Pinto, A., Ballesteros, J., Aldama, A., Pérez de Heredia, J.L., Gutierrez, M., Mosquera, F. and González-Pinto, A.
Principal components of mania (76) 95
González-Pinto, A., see González-Pinto, A. (76) 95
Grof, P., see Albuquerque, J. (76) 285
Gutierrez, M., see González-Pinto, A. (76) 95

Haavisto, A., Sourander, A., Ellilä, H., Välimäki, M., Santalahti, P. and Helenius, H.
Suicidal ideation and suicide attempts among child and adolescent psychiatric inpatients in Finland (76) 211
Hagenfeldt, L., see Gardner, A. (76) 55
Hällström, T., see Gardner, A. (76) 55
Helenius, H., see Haavisto, A. (76) 211
Heun, R., see Barkow, K. (76) 157
Ho, T.-P.
Psychiatric care of suicides in Hong Kong (76) 137
Holsten, F., see Berle, J.. (76) 151
Honey, K.L., Bennett, P. and Morgan, M.

doi:10.1016/S0165-0327(03)00183-6

Predicting postnatal depression (76) 201
Hooijer, C., see Schoevers, R.A. (76) 5
Hopwood, M., see Morris, P. (76) 273
Hyman Rapaport, M., see Pyne, J.M. (76) 237

Infrasca, R.
Childhood adversities and adult depression: an experimental study on childhood depressogenic markers (76) 103

Januel, D., Poirier, M.-F., D'alche-Biree, F., Dib, M. and Olié, J.-P.
Multicenter double-blind randomized parallel-group clinical trial of efficacy of the combination clomipramine (150 mg/day) plus lithium carbonate (750 mg/day) versus clomipramine (150 mg/day) plus placebo in the treatment of unipolar major depression (76) 191
Johansson, A., see Gardner, A. (76) 55
Jonker, C., see Schoevers, R.A. (76) 5
Joukamaa, M., see Kaltiala-Heino, R. (76) 31
Joyce, P.R., see Mulder, R.T. (76) 127
Joyce, P.R., see Mulder, R.T. (76) 143

Kaltiala-Heino, R., Laippala, P. and Joukamaa, M.
Inpatient treatment of mood disorders in the era of de-institutionalisation, depression awareness campaigns and development of new antidepressants (76) 31
Kaplan, R.M., see Pyne, J.M. (76) 237
Keith Williams, D., see Pyne, J.M. (76) 237
Kessing, L.V., see Nilsson, F.M. (76) 39
Klingberg, S., see Giedke, H. (76) 85
Koszták, J., see Balázs, J. (76) 113

Laippala, P., see Kaltiala-Heino, R. (76) 31
Lecrubier, Y., see Balázs, J. (76) 113
Liappas, J., Paparrigopoulos, T., Tzavellas, E. and Christodoulou, G.
Alcohol detoxification and social anxiety symptoms: a preliminary study of the impact of mirtazapine administration (76) 279
Ludewig, K., see Ludewig, S. (76) 183
Ludewig, S., Paulus, M.P., Ludewig, K. and Vollenweider, F.X.
Decision-making strategies by panic disorder subjects are more sensitive to errors (76) 183
Luty, S.E., see Mulder, R.T. (76) 143

Madaro, D., see Altamura, A.C. (76) 267
Maguire, K., see Morris, P. (76) 273
Maier, W., see Barkow, K. (76) 157
McMeekin, W., see Thomas, A.J. (76) 49
McPherson, H., Walsh, A. and Silverstone, T.
Growth hormone and prolactin response to apomorphine in bipolar and unipolar depression (76) 121
Morgan, M., see Honey, K.L. (76) 201
Mori, S., see Tardito, D. (76) 249
Morris, P., Hopwood, M., Maguire, K., Norman, T. and Schweitzer, I.
Blunted prolactin response to D-fenfluramine in post-stroke major depression (76) 273
Mors, O., see Mortensen, P.B. (76) 79
Mortensen, P.B., Mors, O., Frydenberg, M. and Ewald, H.
Head injury as a risk factor for bipolar affective disorder (76) 79
Mosquera, F., see González-Pinto, A. (76) 95
Mulder, R.T., Joyce, P.R. and Frampton, C.
Relationships among measures of treatment outcome in depressed patients (76) 127
Mulder, R.T., Watkins, W.G.A., Joyce, P.R. and Luty, S.E.
Age may affect response to antidepressants with serotonergic and noradrenergic actions (76) 143
Mundo, E., see Altamura, A.C. (76) 267
Murray, G., Allen, N.B. and Trinder, J.
Seasonality and circadian phase delay: prospective evidence that winter lowering of mood is associated with a shift towards Eveningness (76) 15
Mykletun, A., see Berle, J.. (76) 151

Neeleman, J., Oldehinkel, A.J. and Ormel, J.
Positive life change and remission of non-psychotic mental illness. A competing outcomes approach (76) 69
Nennesmo, I., see Gardner, A. (76) 55
Nilsson, F.M., Kessing, L.V. and Bolwig, T.G.
On the increased risk of developing late-onset epilepsy for patients with major affective disorder (76) 39
Norman, T., see Morris, P. (76) 273

O'Brien, J.T., see Thomas, A.J. (76) 49
Oldehinkel, A.J., see Neeleman, J. (76) 69
Olié, J.-P., see Januel, D. (76) 191
Önder, E. and Tural, Ü.
Faster response in depressive patients treated with fluoxetine alone than in combination with buspirone (76) 223
Ormel, J., see Neeleman, J. (76) 69
Orrell, M., see Qazi, A. (76) 261

Paparrigopoulos, T., see Liappas, J. (76) 279
Passchier, J., see Volkers, A.C. (76) 23
Paulus, M.P., see Ludewig, S. (76) 183
Pepplinkhuizen, L., see Volkers, A.C. (76) 23
Pérez de Heredia, J.L., see González-Pinto, A. (76) 95
Perez, J., see Tardito, D. (76) 249
Perry, R., see Thomas, A.J. (76) 49
Piccinelli, M., see Rucci, P. (76) 171
Pini, S., see Rucci, P. (76) 171
Poirier, M.-F., see Januel, D. (76) 191
Pyne, J.M., Sieber, W.J., David, K., Kaplan, R.M., Hyman Rapaport, M. and Keith Williams, D.
Use of the quality of well-being self-administered version (QWB-SA) in assessing health-related quality of life in depressed patients (76) 237

Qazi, A., Shankar, K. and Orrell, M.
Managing anxiety in people with dementia. A case series (76) 261

Racagni, G., see Tardito, D. (76) 249
Riemann, D. and Voderholzer, U.

Primary insomnia: a risk factor to develop depression? (76) 255
Rucci, P., Gherardi, S., Tansella, M., Piccinelli, M., Berardi, D., Bisoffi, G., Corsino, M.A. and Pini, S.
Subthreshold psychiatric disorders in primary care: prevalence and associated characteristics (76) 171

Salvadori, D., see Altamura, A.C. (76) 267
Santalahti, P., see Haavisto, A. (76) 211
Santini, A., see Altamura, A.C. (76) 267
Schoevers, R.A., Beekman, A.T.F., Deeg, D.J.H., Hooijer, C., Jonker, C. and Van Tilburg, W.
The natural history of late-life depression: results from the Amsterdam Study of the Elderly (AMSTEL) (76) 5
Schwärzler, F., see Giedke, H. (76) 85
Schweinsberg, M., see Giedke, H. (76) 85
Schweitzer, I., see Morris, P. (76) 273
Shankar, K., see Qazi, A. (76) 261
Sieber, W.J., see Pyne, J.M. (76) 237
Silverstone, T., see McPherson, H. (76) 121
Smeraldi, E., see Tardito, D. (76) 249
Sourander, A., see Haavisto, A. (76) 211

Tansella, M., see Rucci, P. (76) 171
Tardito, D., Mori, S., Racagni, G., Smeraldi, E., Zanardi, R. and Perez, J.
Protein kinase A activity in platelets from patients with bipolar disorder (76) 249
Thomas, A.J., O'Brien, J.T., Barber, R., McMeekin, W. and Perry, R.
A neuropathological study of periventricular white matter hyperintensities in major depression (76) 49
Trinder, J., see Murray, G. (76) 15
Tulen, J.H.M., see Volkers, A.C. (76) 23
Tural, Ü., see Önder, E. (76) 223
Tzavellas, E., see Liappas, J. (76) 279
Üstün, T.B., see Barkow, K. (76) 157

Välimäki, M., see Haavisto, A. (76) 211
van den Broek, W.W., see Volkers, A.C. (76) 23
van Dyck, R., see Van Zelst, W.H. (76) 229
van Tilburg, W., see Schoevers, R.A. (76) 5
Van Zelst, W.H., De Beurs, E., Beekman, A.T.F., Deeg, D.J.H., Bramsen, I. and Van Dyck, R.
Criterion validity of the self-rating inventory for posttraumatic stress disorder (SRIP) in the community of older adults (76) 229
Voderholzer, U., see Riemann, D. (76) 255
Volkers, A.C., Tulen, J.H.M., Van den Broek, W.W., Bruijn, J.A., Passchier, J. and Pepplinkhuizen, L.
Motor activity and autonomic cardiac functioning in major depressive disorder (76) 23
Vollenweider, F.X., see Ludewig, S. (76) 183
von Döbeln, U., see Gardner, A. (76) 55

Walsh, A., see McPherson, H. (76) 121
Watkins, W.G.A., see Mulder, R.T. (76) 143
Wibom, R., see Gardner, A. (76) 55
Wittchen, H.-U., see Barkow, K. (76) 157

Zanardi, R., see Tardito, D. (76) 249

ELSEVIER

Journal of Affective Disorders 76 (2003) 299–302

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Subject index

Accident proneness; Bipolar affective illness; Case–control study; Head injury **76,** 79

Adolescent; Suicidality; Inpatient; Child **76,** 211

Alcohol; Detoxification; Social anxiety; Mirtazapine **76,** 279

Apomorphine; Bipolar disorder; Depression; Dopamine; Growth hormone; Prolactin **76,** 121

Appraisal; Postnatal depression; Prediction; Coping; Childcare stress **76,** 201

ATP; Hearing loss; KSP; Mitochondrial disorder; Tinnitus; Unipolar depression **76,** 55

Augmentation; Fluoxetine; Buspirone; Faster response **76,** 223

Autonomic cardiac functioning; Major depressive disorder; Motor activity; Wrist-actigraphy; Spectral analysis **76,** 23

Bipolar affective illness; Case–control study; Head injury; Accident proneness **76,** 79

Bipolar disorder; Case register; Comorbidity; Depressive disorder; Epilepsy **76,** 39

Bipolar disorder; Suicide attempt; Major depressive disorder; Comorbidity; MINI **76,** 113

Bipolar disorder; Depression; Dopamine; Growth hormone; Prolactin; Apomorphine **76,** 121

Bipolar disorder; PKA activity; cAMP signaling; Platelets **76,** 249

Bipolar disorder; Pharmacotherapy; Maintenance treatment; Quetiapine; Mood stabilizers **76,** 267

Buspirone; Fluoxetine; Augmentation; Faster response **76,** 223

cAMP signaling; Bipolar disorder; PKA activity; Platelets **76,** 249

Case register; Bipolar disorder; Comorbidity; Depressive disorder; Epilepsy **76,** 39

Case–control study; Bipolar affective illness; Head injury; Accident proneness **76,** 79

Child; Suicidality; Inpatient; Adolescent **76,** 211

Childcare stress; Postnatal depression; Prediction; Appraisal; Coping **76,** 201

doi:10.1016/S0165-0327(03)00184-8

Childhood adversities; Temperament; Depression **76,** 103

Chronic difficulty; Cox regression; Life event; Non-psychotic mental illness remission **76,** 69

Circadian; Seasonality; Phase delay; Mood; SAD **76,** 15

Cognitive dysfunction; Panic disorder; Decision-making; Reinforcement **76,** 183

Community; Depression; Prognosis; Elderly; Risk factors **76,** 5

Community; Posttraumatic stress disorder; Screening-instrument; Validity; Older adults **76,** 229

Comorbidity; Bipolar disorder; Case register; Depressive disorder; Epilepsy **76,** 39

Comorbidity; Suicide attempt; Major depressive disorder; Bipolar disorder; MINI **76,** 113

Coping; Postnatal depression; Prediction; Appraisal; Childcare stress **76,** 201

Cost effectiveness; Quality of Well-Being Scale (QWB); Quality of life; Depression; Measurement **76,** 237

Cox regression; Chronic difficulty; Life event; Non-psychotic mental illness remission **76,** 69

Decision-making; Panic disorder; Reinforcement; Cognitive dysfunction **76,** 183

Depression; Prognosis; Elderly; Community; Risk factors **76,** 5

Depression; White matter; Hyperintensities; Neuropathology; MRI **76,** 49

Depression; Sleep deprivation; Therapeutic sleep deprivation **76,** 85

Depression; Temperament; Childhood adversities **76,** 103

Depression; Bipolar disorder; Dopamine; Growth hormone; Prolactin; Apomorphine **76,** 121

Depression; Treatment outcome; Predictors **76,** 127

Depression; Postpartum; Primary health care; Mental disorders; Risk factors; Psychometric **76,** 151

Depression; Non-remission; Risk factors; Primary care **76,** 157

Depression; Quality of Well-Being Scale (QWB); Quality of life; Measurement; Cost effectiveness **76,** 237

Depression; Primary insomnia **76,** 255

Depression; Post-stroke; Major; Minor; Prolactin; D-fenfluramine; Serotonin **76,** 273

Depression; Descartes; Passions; History **76,** 285

Depressive disorder; Bipolar disorder; Case register; Comorbidity; Epilepsy **76,** 39

Depressive factor; Dimensions; Factor analysis; Mania; Mixed mania **76,** 95

Descartes; Passions; Depression; History **76,** 285

Detoxification; Alcohol; Social anxiety; Mirtazapine **76,** 279

De-institutionalisation; Psychiatric services; Mood disorders; Service planning; Hospital use **76,** 31

Dimensions; Factor analysis; Depressive factor; Mania; Mixed mania **76,** 95

Dopamine; Bipolar disorder; Depression; Growth hormone; Prolactin; Apomorphine **76,** 121

Efficacy; Unipolar depression; Lithium + clomipramine combination; Treatment of depression **76,** 191

Elderly; Depression; Prognosis; Community; Risk factors **76,** 5

Epilepsy; Bipolar disorder; Case register; Comorbidity; Depressive disorder **76,** 39

Factor analysis; Dimensions; Depressive factor; Mania; Mixed mania **76,** 95

Faster response; Fluoxetine; Buspirone; Augmentation **76,** 223

Fluoxetine; Buspirone; Augmentation; Faster response **76,** 223

Functional impairment; Primary care; Subthreshold disorders; Health perception **76,** 171

Growth hormone; Bipolar disorder; Depression; Dopamine; Prolactin; Apomorphine **76,** 121

Head injury; Bipolar affective illness; Case–control study; Accident proneness **76,** 79

Health perception; Primary care; Subthreshold disorders; Functional impairment **76,** 171

Hearing loss; ATP; KSP; Mitochondrial disorder; Tinnitus; Unipolar depression **76,** 55

History; Descartes; Passions; Depression **76,** 285

Hong Kong; Psychiatric service; Suicide **76,** 137

Hospital use; Psychiatric services; De-institutionalisation; Mood disorders; Service planning **76,** 31

Hyperintensities; Depression; White matter; Neuropathology; MRI **76,** 49

Inpatient; Suicidality; Child; Adolescent **76,** 211

KSP; ATP; Hearing loss; Mitochondrial disorder; Tinnitus; Unipolar depression **76,** 55

Life event; Cox regression; Chronic difficulty; Non-psychotic mental illness remission **76,** 69

Lithium + clomipramine combination; Unipolar depression; Efficacy; Treatment of depression **76,** 191

Maintenance treatment; Bipolar disorder; Pharmacotherapy; Quetiapine; Mood stabilizers **76,** 267

Major; Post-stroke; Depression; Minor; Prolactin; D-fenfluramine; Serotonin **76,** 273

Major depressive disorder; Motor activity; Autonomic cardiac functioning; Wrist-actigraphy; Spectral analysis **76,** 23

Major depressive disorder; Suicide attempt; Bipolar disorder; Comorbidity; MINI **76,** 113

Mania; Dimensions; Factor analysis; Depressive factor; Mixed mania **76,** 95

Measurement; Quality of Well-Being Scale (QWB); Quality of life; Depression; Cost effectiveness **76,** 237

Mental disorders; Depression; Postpartum; Primary health care; Risk factors; Psychometric **76,** 151

MINI; Suicide attempt; Major depressive disorder; Bipolar disorder; Comorbidity **76,** 113

Minor; Post-stroke; Depression; Major; Prolactin; D-fenfluramine; Serotonin **76,** 273

Mirtazapine; Alcohol; Detoxification; Social anxiety **76,** 279

Mitochondrial disorder; ATP; Hearing loss; KSP; Tinnitus; Unipolar depression **76,** 55

Mixed mania; Dimensions; Factor analysis; Depressive factor; Mania **76,** 95

Mood; Seasonality; Phase delay; Circadian; SAD **76,** 15

Mood disorders; Psychiatric services; De-institutionalisation; Service planning; Hospital use **76,** 31

Mood stabilizers; Bipolar disorder; Pharmacotherapy; Maintenance treatment; Quetiapine **76,** 267

Motor activity; Major depressive disorder; Autonomic cardiac functioning; Wrist-actigraphy; Spectral analysis **76,** 23

MRI; Depression; White matter; Hyperintensities; Neuropathology **76,** 49

Neuropathology; Depression; White matter; Hyperintensities; MRI **76,** 49

Non-psychotic mental illness remission; Cox regression; Chronic difficulty; Life event **76,** 69

Non-remission; Depression; Risk factors; Primary care **76,** 157

Noradrenergic antidepressants; Serotonergic antidepressants; Youth; Treatment response **76,** 143

Older adults; Posttraumatic stress disorder; Screening-instrument; Validity; Community **76,** 229

Panic disorder; Decision-making; Reinforcement; Cognitive dysfunction **76,** 183

Passions; Descartes; Depression; History **76,** 285

Pharmacotherapy; Bipolar disorder; Maintenance treatment; Quetiapine; Mood stabilizers **76,** 267

Phase delay; Seasonality; Circadian; Mood; SAD **76,** 15

PKA activity; Bipolar disorder; cAMP signaling; Platelets **76,** 249

Platelets; Bipolar disorder; PKA activity; cAMP signaling **76,** 249

Postnatal depression; Prediction; Appraisal; Coping; Childcare stress **76,** 201

Postpartum; Depression; Primary health care; Mental disorders; Risk factors; Psychometric **76,** 151

Posttraumatic stress disorder; Screening-instrument; Validity; Older adults; Community **76,** 229

Post-stroke; Depression; Major; Minor; Prolactin; D-fenfluramine; Serotonin **76,** 273

Prediction; Postnatal depression; Appraisal; Coping; Childcare stress **76,** 201

Predictors; Treatment outcome; Depression **76,** 127

Primary care; Depression; Non-remission; Risk factors **76,** 157

Primary care; Subthreshold disorders; Functional impairment; Health perception **76,** 171

Primary health care; Depression; Postpartum; Mental disorders; Risk factors; Psychometric **76,** 151

Primary insomnia; Depression **76,** 255

Prognosis; Depression; Elderly; Community; Risk factors **76,** 5

Prolactin; Bipolar disorder; Depression; Dopamine; Growth hormone; Apomorphine **76,** 121

Prolactin; Post-stroke; Depression; Major; Minor; D-fenfluramine; Serotonin **76,** 273

Psychiatric service; Suicide; Hong Kong **76,** 137

Psychiatric services; De-institutionalisation; Mood disorders; Service planning; Hospital use **76,** 31

Psychometric; Depression; Postpartum; Primary health care; Mental disorders; Risk factors **76,** 151

Quality of life; Quality of Well-Being Scale (QWB); Depression; Measurement; Cost effectiveness **76,** 237

Quality of Well-Being Scale (QWB); Quality of life; Depression; Measurement; Cost effectiveness **76,** 237

Quetiapine; Bipolar disorder; Pharmacotherapy; Maintenance treatment; Mood stabilizers **76,** 267

Reinforcement; Panic disorder; Decision-making; Cognitive dysfunction **76,** 183

Risk factors; Depression; Prognosis; Elderly; Community **76,** 5

Risk factors; Depression; Postpartum; Primary health care; Mental disorders; Psychometric **76,** 151

Risk factors; Depression; Non-remission; Primary care **76,** 157

SAD; Seasonality; Phase delay; Circadian; Mood **76,** 15

Screening-instrument; Posttraumatic stress disorder; Validity; Older adults; Community **76,** 229

Seasonality; Phase delay; Circadian; Mood; SAD **76,** 15

Serotonergic antidepressants; Noradrenergic antidepressants; Youth; Treatment response **76,** 143

Serotonin; Post-stroke; Depression; Major; Minor; Prolactin; D-fenfluramine **76,** 273

Service planning; Psychiatric services; De-institutionalisation; Mood disorders; Hospital use **76,** 31

Sleep deprivation; Depression; Therapeutic sleep deprivation **76,** 85

Social anxiety; Alcohol; Detoxification; Mirtazapine **76,** 279

Spectral analysis; Major depressive disorder; Motor activity; Autonomic cardiac functioning; Wrist-actigraphy **76,** 23

Subthreshold disorders; Primary care; Functional impairment; Health perception **76,** 171

Suicidality; Inpatient; Child; Adolescent **76,** 211

Suicide; Psychiatric service; Hong Kong **76,** 137

Suicide attempt; Major depressive disorder; Bipolar disorder; Comorbidity; MINI **76,** 113

Temperament; Childhood adversities; Depression **76,** 103

Therapeutic sleep deprivation; Sleep deprivation; Depression **76,** 85

Tinnitus; ATP; Hearing loss; KSP; Mitochondrial disorder; Unipolar depression **76,** 55

Treatment of depression; Unipolar depression; Lithium + clomipramine combination; Efficacy **76,** 191

Treatment outcome; Depression; Predictors **76,** 127

Treatment response; Serotonergic antidepressants; Noradrenergic antidepressants; Youth **76,** 143

Unipolar depression; ATP; Hearing loss; KSP; Mitochondrial disorder; Tinnitus **76,** 55

Unipolar depression; Lithium + clomipramine combination; Efficacy; Treatment of depression **76,** 191

Validity; Posttraumatic stress disorder; Screening-instrument; Older adults; Community **76,** 229

White matter; Depression; Hyperintensities; Neuropathology; MRI **76,** 49

Wrist-actigraphy; Major depressive disorder; Motor activity; Autonomic cardiac functioning; Spectral analysis **76,** 23

Youth; Serotonergic antidepressants; Noradrenergic antidepressants; Treatment response **76,** 143

D-fenfluramine; Post-stroke; Depression; Major; Minor; Prolactin; Serotonin **76,** 273

Vol. 76
Contents

2003